

Survey: **DS2/20**
month: **May 2020**
Participant-No: **9907069**
date of issue: **23.05.20**

Nemocnice Pardubického kraje a.s.
Orlickoustecka nemocnice
Oddeleni klinicke bioch. a diagnostiky
RNDr. Karel Kohoutek
Cs. armády 1076
56218 USTI NAD ORLICI
CZECH REPUBLIC



Survey directors

Prof. Dr. C. Knabbe
Prof. Dr. Dr. K.P. Kohse
Prof. Dr. M. Neumaier

Head of RfB

Dr. W. J. Geilenkeuser
Dr. A. Kessler


Certificate

I. Screening (immunologic)

Correct findings were reported on the following:

- Amphetamine group
- Barbiturates
- Benzodiazepines
- Cannabinoids
- Cocain + metabolites
- Methadon + metabolites
- Opiates
- Tricycl. antidepressants
- Metamphetamin

Bonn, 26. June 2020



This certificate is according to the current version of the RiliBÄK valid until the end of November 2020.

Survey: **DS2/20**
month: **May 2020**
Participant-No: **9907069**
date of issue: **23.05.20**

Nemocnice Pardubického kraje a.s.
Orlickoustecka nemocnice
Oddeleni klinicke bioch. a diagnostiky
RNDr. Karel Kohoutek
Cs. armády 1076
56218 USTI NAD ORLICI
CZECH REPUBLIC



Survey directors

Prof. Dr. C. Knabbe
Prof. Dr. Dr. K.P. Kohse
Prof. Dr. M. Neumaier

Head of RfB

Dr. W. J. Geilenkeuser
Dr. A. Kessler

Participation certificate

We confirm that you have participated in the survey for drug screening.
Your findings and the corresponding ratings were the following:
(* = correct, f = false, ? = missing, # = false positive)

Bonn, 26. June 2020



I. Screening (immunologic)

	Sample A		Sample B	
	findings	rating	findings	rating
- Amphetamine group	+	●	-	●
- Barbiturates	-	●	-	●
- Benzodiazepines	+	●	+	●
- Cannabinoids	-	●	-	●
- Cocain + metabolites	-	●	-	●
- Methadon + metabolites	-	●	-	●
- Opiates	-	●	+	●
- Tricycl. antidepressants	+	●	-	●
- Metamphetamin	+	●	-	●

Drug screening DS2/20 - spiked urine concentration of drugs after reconstitution

sample A					sample B			
3,4-methylenedioxyamphet.(MDMA) (115)			1000 µg/l		clonazepam (309)			1000 µg/l
bromazepam (304)			2000 µg/l		morphine (914)			1000 µg/l
LSD + metabolite (601)			10 µg/l		morphine-glucuronide (915)			1000 µg/l
phencyclidine (1101)			100 µg/l		tramadol (1601)			500 µg/l
doxepine (1304)			2000 µg/l					

Immunoassay Amphetamine group

				sample A + (-)				sample B -				sample A + (-)				sample B -						
Meth.	Manuf.	N	n-	n+	n-	n+		Meth.	Manuf.	N	n-	n+	n-	n+		Meth.	Manuf.	N	n-	n+	n-	n+
11	2	1	0	1	1		0	111	129	1	1	0	1	0		111	129	1	1	0	1	0
11	19	2	1	1	2		0	111	130	19	18	1	19	0		111	130	19	18	1	19	0
11	30	1	0	1	1		0	111	151	87	85	2	86	1		111	151	87	85	2	86	1
11	34	1	1	0	1		0	111	161	4	4	0	4	0		111	161	4	4	0	4	0
11	52	1	1	0	1		0	111	170	1	1	0	1	0		111	170	1	1	0	1	0
11	78	10	6	4	10		0	111	173	56	56	0	56	0		111	173	56	56	0	56	0
11	99	5	3	2	5		0	111	230	3	3	0	3	0		111	230	3	3	0	3	0
11	102	6	3	3	6		0	112	2	5	0	5	5		112	2	5	0	5	5	0	0
11	109	2	2	0	2		0	112	19	3	1	2	3		112	19	3	1	2	3	0	0
11	121	2	2	0	2		0	112	34	1	0	1	1		112	34	1	0	1	1	0	0
11	122	2	2	0	2		0	112	38	1	0	1	1		112	38	1	0	1	1	0	0
11	125	1	0	1	1		0	112	40	3	3	0	3		112	40	3	3	0	3	0	0
11	130	3	2	1	3		0	112	78	8	7	1	8		112	78	8	7	1	8	0	0
11	151	59	17	42	57		2	112	99	6	4	2	6		112	99	6	4	2	6	0	0
11	161	4	2	2	4		0	112	102	2	0	2	2		112	102	2	0	2	2	0	0
11	173	11	4	7	11		0	112	109	4	3	1	4		112	109	4	3	1	4	0	0
11	230	2	2	0	2		0	112	121	1	1	0	1		112	121	1	1	0	1	0	0
12	4	15	2	13	15		0	112	122	1	1	0	1		112	122	1	1	0	1	0	0
12	13	2	1	1	2		0	112	125	4	1	3	4		112	125	4	1	3	4	0	0
12	30	80	0	80	80		0	112	130	4	0	4	4		112	130	4	0	4	4	0	0
12	38	30	0	30	30		0	112	151	13	7	6	13		112	151	13	7	6	13	0	0
12	40	7	6	1	7		0	112	161	1	1	0	1		112	161	1	1	0	1	0	0
12	43	1	1	0	1		0	112	170	1	0	1	1		112	170	1	0	1	1	0	0
12	52	1	0	1	1		0	112	173	9	5	4	9		112	173	9	5	4	9	0	0
12	72	1	0	1	1		0	113	130	1	0	1	1		113	130	1	0	1	1	0	0
12	99	2	0	2	2		0	121	13	1	1	0	1		121	13	1	1	0	1	0	0
12	121	2	2	0	2		0	121	28	1	1	0	1		121	28	1	1	0	1	0	0
12	126	39	6	33	39		0	121	30	2	0	2	2		121	30	2	0	2	2	0	0
12	128	2	2	0	2		0	121	38	2	0	2	2		121	38	2	0	2	2	0	0
12	228	5	1	4	5		0	121	40	1	1	0	1		121	40	1	1	0	1	0	0
12	328	4	4	0	4		0	121	43	1	1	0	1		121	43	1	1	0	1	0	0
14	28	1	1	0	1		0	121	99	1	1	0	1		121	99	1	1	0	1	0	0
14	98	1	1	0	1		0	121	121	2	2	0	2		121	121	2	2	0	2	0	0
14	99	4	3	1	4		0	121	126	1	0	1	1		121	126	1	0	1	1	0	0
98	98	1	1	0	1		0	121	128	1	1	0	1		121	128	1	1	0	1	0	0
111	2	37	35	2	37		0	121	129	1	1	0	1		121	129	1	1	0	1	0	0
111	4	4	4	0	4		0	121	130	1	1	0	1		121	130	1	1	0	1	0	0
111	19	15	15	0	15		0	121	151	5	5	0	5		121	151	5	5	0	5	0	0
111	30	1	0	1	1		0	121	158	7	7	0	7		121	158	7	7	0	7	0	0
111	34	1	1	0	1		0	121	166	2	2	0	2		121	166	2	2	0	2	0	0
111	35	1	1	0	1		0	121	228	1	1	0	1		121	228	1	1	0	1	0	0
111	40	3	3	0	3		0	121	328	4	4	0	4		121	328	4	4	0	4	0	0
111	70	1	1	0	1		0	122	30	1	0	1	1		122	30	1	0	1	1	0	0
111	78	53	52	1	53		0	122	38	1	0	1	1		122	38	1	0	1	1	0	0
111	99	23	20	3	23		0	122	70	1	1	0	1		122	70	1	1	0	1	0	0
111	102	8	8	0	8		0	122	130	1	1	0	1		122	130	1	1	0	1	0	0
111	109	12	12	0	12		0	123	30	1	0	1	1		123	30	1	0	1	1	0	0
111	121	3	3	0	3		0	141	19	1	1	0	1		141	19	1	1	0	1	0	0
111	122	2	2	0	2		0	141	99	2	2	0	2		141	99	2	2	0	2	0	0
111	125	19	18	1	19		0															
										total	775	115/375		285	772		3					

Immunoassay Barbiturates

Meth.	Manuf.	N	n-	sample A -		sample B -		Meth.	Manuf.	N	n-	sample A -		sample B -	
				n+	n-	n+	n-					n+	n-		
11	2	43	43	0	43	0	43	12	30	68	68	0	68	0	0
11	4	3	3	0	3	0	3	12	38	27	27	0	27	0	0
11	16	1	1	0	1	0	1	12	40	6	6	0	6	0	0
11	19	18	18	0	18	0	18	12	43	2	2	0	2	0	0
11	30	1	1	0	1	0	1	12	70	1	1	0	1	0	0
11	34	3	3	0	3	0	3	12	72	1	1	0	1	0	0
11	40	6	6	0	6	0	6	12	99	3	3	0	3	0	0
11	52	1	1	0	1	0	1	12	121	4	4	0	4	0	0
11	70	1	1	0	1	0	1	12	125	1	1	0	1	0	0
11	78	67	67	0	67	0	67	12	126	22	22	0	22	0	0
11	99	32	32	0	32	0	32	12	128	2	2	0	2	0	0
11	102	15	15	0	15	0	15	12	129	1	1	0	1	0	0
11	109	16	15	1	16	0	16	12	130	2	2	0	2	0	0
11	121	6	6	0	6	0	6	12	151	5	5	0	5	0	0
11	122	4	4	0	4	0	4	12	158	1	1	0	1	0	0
11	125	20	20	0	20	0	20	12	166	2	2	0	2	0	0
11	129	1	1	0	1	0	1	12	228	6	6	0	6	0	0
11	130	28	28	0	28	0	28	12	328	5	5	0	5	0	0
11	151	132	132	0	132	0	132	14	19	1	1	0	1	0	0
11	161	9	9	0	9	0	9	14	28	1	1	0	1	0	0
11	170	3	3	0	3	0	3	14	30	1	1	0	1	0	0
11	173	64	64	0	64	0	64	14	99	6	6	0	6	0	0
11	230	5	5	0	5	0	5	98	98	1	1	0	1	0	0
12	4	13	13	0	13	0	13								
12	13	3	3	0	3	0	3								
				total 664		663				1		664		0	

Immunoassay Benzodiazepines

Meth.	Manuf.	N	n-	sample A +		sample B +		Meth.	Manuf.	N	n-	sample A +		sample B +			
				n+	n-	n+	n-					n+	n-				
11	2	43	0	43	0	43	12	30	85	0	85	3	82	0	82		
11	4	4	0	4	0	4	12	38	34	0	34	0	34	0	34		
11	19	20	0	20	0	20	12	40	8	0	8	0	8	0	8		
11	30	1	0	1	0	1	12	43	2	0	2	0	2	0	2		
11	34	4	0	4	0	4	12	70	1	0	1	0	1	0	1		
11	40	6	0	6	0	6	12	72	1	0	1	0	1	0	1		
11	52	1	0	1	0	1	12	99	4	0	4	0	4	0	4		
11	70	1	0	1	0	1	12	121	4	0	4	0	4	0	4		
11	78	71	0	71	3	68	12	126	38	0	38	0	38	0	38		
11	99	34	1	33	0	34	12	128	3	0	3	0	3	0	3		
11	102	15	1	14	1	14	12	129	1	0	1	0	1	0	1		
11	109	22	0	22	0	22	12	130	2	0	2	0	2	0	2		
11	121	6	0	6	2	4	12	151	5	1	4	1	4	0	4		
11	122	4	0	4	0	4	12	158	8	0	8	0	8	0	8		
11	125	23	0	23	1	22	12	166	2	0	2	0	2	0	2		
11	129	1	0	1	0	1	12	228	6	0	6	0	6	0	6		
11	130	29	0	29	0	29	12	328	8	0	8	0	8	0	8		
11	151	161	2	159	12	149	14	19	1	0	1	0	1	0	1		
11	161	10	0	10	0	10	14	28	1	0	1	0	1	0	1		
11	170	3	0	3	0	3	14	30	1	0	1	0	1	0	1		
11	173	77	0	77	6	71	14	99	6	1	5	2	4	0	4		
11	230	5	0	5	0	5	98	98	1	0	1	1	0	0	0		
12	4	15	0	15	0	15											
12	13	3	0	3	0	3											
				total 781		6				775		32		749			

Immunoassay Cannabinoids

Meth.	Manuf.	N	n-	sample A -		sample B -		n+	Meth.	Manuf.	N	n-	sample A -		sample B -		n+
				n+	n-	n+	n-						n+	n-			
11	2	44	44		0	44		0	12	13	3	3		0	3		0
11	4	4	4		0	4		0	12	28	2	2		0	2		0
11	19	20	20		0	20		0	12	30	86	85		1	86		0
11	30	1	1		0	1		0	12	38	34	34		0	34		0
11	34	4	4		0	4		0	12	40	8	8		0	8		0
11	40	6	6		0	6		0	12	43	2	2		0	2		0
11	52	1	1		0	1		0	12	70	1	1		0	1		0
11	70	1	1		0	1		0	12	72	1	1		0	1		0
11	78	72	71		1	72		0	12	99	5	5		0	5		0
11	99	36	36		0	35		1	12	121	4	3		1	4		0
11	102	18	18		0	18		0	12	126	37	37		0	37		0
11	105	1	1		0	1		0	12	128	3	3		0	3		0
11	109	22	22		0	22		0	12	129	2	2		0	2		0
11	121	6	6		0	6		0	12	130	2	2		0	2		0
11	122	5	5		0	5		0	12	151	6	6		0	6		0
11	125	24	24		0	24		0	12	158	7	7		0	7		0
11	129	1	1		0	1		0	12	166	2	2		0	2		0
11	130	30	30		0	30		0	12	228	6	6		0	6		0
11	151	163	160		3	160		3	12	328	9	9		0	9		0
11	161	11	11		0	11		0	14	19	1	1		0	1		0
11	170	3	3		0	3		0	14	28	1	1		0	1		0
11	173	77	77		0	77		0	14	99	5	5		0	5		0
11	230	6	6		0	6		0	98	98	1	1		0	1		0
12	4	17	17		0	17		0	total 801		795		6	797		4	

Immunoassay Cocain + metabolites

Meth.	Manuf.	N	n-	sample A -		sample B -		n+	Meth.	Manuf.	N	n-	sample A -		sample B -		n+
				n+	n-	n+	n-						n+	n-			
11	2	44	44		0	44		0	12	28	1	1		0	1		0
11	4	4	4		0	4		0	12	30	82	82		0	82		0
11	19	20	20		0	20		0	12	38	34	34		0	34		0
11	30	1	1		0	1		0	12	40	8	8		0	7		1
11	34	4	4		0	4		0	12	43	2	2		0	2		0
11	40	6	6		0	6		0	12	70	1	1		0	1		0
11	52	1	1		0	1		0	12	72	1	1		0	1		0
11	70	1	1		0	1		0	12	99	3	3		0	3		0
11	78	72	72		0	71		1	12	121	4	4		0	4		0
11	99	37	37		0	37		0	12	126	35	35		0	35		0
11	102	17	17		0	17		0	12	128	3	3		0	3		0
11	109	22	22		0	22		0	12	129	1	1		0	1		0
11	121	6	6		0	6		0	12	130	2	2		0	2		0
11	122	5	5		0	5		0	12	151	6	6		0	6		0
11	125	24	24		0	24		0	12	158	7	7		0	7		0
11	129	1	1		0	1		0	12	166	2	2		0	2		0
11	130	30	30		0	30		0	12	228	6	6		0	6		0
11	151	161	158		3	159		2	12	328	9	9		0	9		0
11	161	11	11		0	11		0	14	19	1	1		0	1		0
11	170	3	3		0	3		0	14	28	1	1		0	1		0
11	173	78	78		0	77		1	14	99	7	7		0	7		0
11	230	6	6		0	6		0	98	98	1	1		0	1		0
12	4	17	17		0	17		0	total 791		788		3	786		4	
12	13	3	3		0	3		0									

Immunoassay LSD + metabolites

Meth.	Manuf.	N	n-	sample A +		sample B -		n+	Meth.	Manuf.	N	n-	sample A +		sample B -		n+
				n+	n-	n+	n-						n+	n-			
11	99	3	1		2	3		0	12	38	2	0		2	2		0
11	102	1	0		1	1		0	12	40	1	0		1	1		0
11	151	2	0		2	2		0	12	72	1	0		1	1		0
11	161	1	0		1	1		0	12	126	8	1		7	8		0
11	173	4	2		2	4		0	14	99	3	0		3	3		0
12	28	1	1		0	1		0	14	162	1	0		1	1		0
12	30	5	0		5	5		0	total 33		5		28	33		0	

Immunoassay Methadon + metabolites

sample A -					sample B -					sample A -					sample B -				
Meth.	Manuf.	N	n-	n+	Meth.	Manuf.	N	n-	n+	Meth.	Manuf.	N	n-	n+	Meth.	Manuf.	N	n-	n+
11	2	43	42	1	43	0	12	30	55	55	0	55	0						
11	4	3	3	0	3	0	12	38	34	34	0	34	0						
11	19	20	20	0	20	0	12	40	5	5	0	5	0						
11	34	3	3	0	3	0	12	43	2	2	0	2	0						
11	37	1	1	0	1	0	12	52	1	1	0	1	0						
11	40	1	1	0	1	0	12	70	1	1	0	1	0						
11	52	1	1	0	1	0	12	72	1	1	0	1	0						
11	70	1	1	0	1	0	12	99	2	2	0	2	0						
11	78	69	66	3	69	0	12	121	4	4	0	4	0						
11	99	37	35	2	37	0	12	126	36	36	0	36	0						
11	102	13	13	0	13	0	12	128	2	2	0	2	0						
11	109	15	15	0	15	0	12	129	1	1	0	1	0						
11	121	6	6	0	6	0	12	130	2	2	0	2	0						
11	122	4	4	0	4	0	12	151	6	6	0	6	0						
11	125	24	24	0	24	0	12	158	7	7	0	7	0						
11	129	1	1	0	1	0	12	166	2	2	0	2	0						
11	130	30	29	1	30	0	12	228	6	6	0	6	0						
11	151	152	147	5	149	3	12	328	5	5	0	5	0						
11	161	9	8	1	9	0	14	19	1	1	0	1	0						
11	170	3	3	0	3	0	14	28	1	1	0	1	0						
11	173	74	72	2	74	0	14	99	5	5	0	5	0						
11	230	5	5	0	5	0	98	98	1	1	0	1	0						
12	4	14	14	0	14	0													
12	13	1	1	0	1	0													
				total	710	695					total	710	15	707	3				

Immunoassay Methylphenidate

sample A -					sample B -					sample A -					sample B -				
Meth.	Manuf.	N	n-	n+	Meth.	Manuf.	N	n-	n+	Meth.	Manuf.	N	n-	n+	Meth.	Manuf.	N	n-	n+
11	99	1	1	0	1	0	14	99	1	1	0	1	0						
11	151	4	4	0	4	0	14	157	1	1	0	1	0						
12	157	3	3	0	3	0													
12	167	1	1	0	1	0													
				total	12	12					total	12	0	12	0				

Immunoassay Opiates

Meth.	Manuf.	N	sample A -		sample B +		Meth.	Manuf.	N	sample A -		sample B +	
			n-	n+	n-	n+				n-	n+	n-	n+
11	2	1	1	0	0	1	113	19	11	11	0	0	11
11	4	1	1	0	0	1	113	34	1	1	0	0	1
11	16	1	1	0	0	1	113	40	1	1	0	0	1
11	19	7	7	0	1	6	113	70	1	1	0	0	1
11	34	3	3	0	0	3	113	78	53	53	0	0	53
11	40	5	5	0	0	5	113	99	25	25	0	1	24
11	52	1	1	0	0	1	113	102	13	13	0	0	13
11	78	17	17	0	1	16	113	109	18	18	0	0	18
11	99	10	10	0	1	9	113	113	1	1	0	0	1
11	102	6	6	0	0	6	113	121	4	4	0	0	4
11	109	4	4	0	0	4	113	122	2	2	0	0	2
11	121	2	2	0	0	2	113	125	22	22	0	0	22
11	122	3	3	0	0	3	113	129	1	1	0	0	1
11	123	1	1	0	0	1	113	130	28	28	0	1	27
11	125	2	2	0	0	2	113	151	144	143	1	5	139
11	130	2	2	0	0	2	113	161	5	5	0	0	5
11	151	18	17	1	1	17	113	170	3	3	0	0	3
11	161	7	7	0	1	6	113	173	68	68	0	1	67
11	173	11	11	0	0	11	113	230	3	3	0	0	3
11	230	3	3	0	0	3	123	4	15	15	0	0	15
12	4	2	2	0	0	2	123	13	2	2	0	0	2
12	13	1	1	0	0	1	123	28	1	1	0	0	1
12	28	1	1	0	0	1	123	30	69	69	0	0	69
12	30	14	14	0	0	14	123	38	29	28	1	0	29
12	38	5	5	0	0	5	123	40	6	6	0	0	6
12	40	2	2	0	0	2	123	72	1	1	0	0	1
12	43	2	2	0	0	2	123	78	1	1	0	0	1
12	70	1	1	0	0	1	123	99	2	2	0	0	2
12	99	1	1	0	0	1	123	121	1	1	0	0	1
12	121	2	2	0	0	2	123	123	1	1	0	0	1
12	123	1	1	0	0	1	123	126	32	32	0	0	32
12	126	5	5	0	0	5	123	128	1	1	0	0	1
12	128	2	2	0	0	2	123	129	1	1	0	0	1
12	130	1	1	0	0	1	123	130	1	1	0	0	1
12	151	3	3	0	0	3	123	151	3	3	0	0	3
12	166	1	1	0	0	1	123	158	9	9	0	0	9
12	228	4	4	0	0	4	123	166	1	1	0	0	1
12	328	2	2	0	0	2	123	228	2	2	0	0	2
14	28	1	1	0	0	1	123	328	5	5	0	0	5
14	99	3	2	1	0	3	143	19	1	1	0	0	1
98	98	2	2	0	1	1	143	30	2	2	0	0	2
113	2	43	43	0	0	43	143	99	4	4	0	0	4
113	4	2	2	0	0	2							
total 800										796	4	14	786

Immunoassay 6-Acetylmorphine

Meth.	Manuf.	N	sample A -		sample B -		Meth.	Manuf.	N	sample A -		sample B -	
			n-	n+	n-	n+				n-	n+	n-	n+
11	102	1	1	0	1	0	12	38	4	4	0	4	0
11	130	1	1	0	1	0	12	99	2	2	0	2	0
11	151	3	3	0	2	1	12	126	9	9	0	9	0
11	161	1	1	0	1	0	12	158	8	8	0	8	0
11	170	2	2	0	2	0	14	99	2	2	0	2	0
12	30	1	1	0	1	0							
total 34										34	0	33	1

Immunoassay Phencyclidine and metab.

Meth.	Manuf.	N	sample A +		sample B -		Meth.	Manuf.	N	sample A +		sample B -		
			n-	n+	n-	n+				n-	n+	n-	n+	
11	2	29	0	29	29	0	12	13	1	0	1	0		
11	4	1	0	1	1	0	12	30	8	0	8	0		
11	19	1	0	1	1	0	12	38	5	0	5	0		
11	34	3	0	3	3	0	12	40	2	0	2	0		
11	40	6	0	6	6	0	12	70	1	0	1	0		
11	78	1	0	1	1	0	12	121	2	0	2	0		
11	99	5	0	5	5	0	12	126	6	0	6	0		
11	102	4	0	4	4	0	12	128	1	0	1	0		
11	109	2	0	2	2	0	12	130	2	0	2	0		
11	122	1	0	1	1	0	12	151	2	0	2	0		
11	125	1	0	1	1	0	12	166	1	0	1	0		
11	130	3	0	3	3	0	12	328	2	0	2	0		
11	151	20	1	19	20	0	14	28	1	0	1	0		
11	161	4	0	4	4	0	14	99	5	0	5	0		
11	170	1	0	1	1	0	14	162	1	0	1	0		
11	173	6	0	6	6	0								
11	230	2	0	2	2	0								
			total 130		1				129		130		0	

Immunoassay Pregabalin

Meth.	Manuf.	N	sample A -		sample B -		Meth.	Manuf.	N	sample A -		sample B -		
			n-	n+	n-	n+				n-	n+	n-	n+	
11	109	1	1	0	1	0	12	126	2	2	0	2	0	
11	151	3	3	0	3	0	12	157	14	14	0	14	0	
11	170	2	2	0	2	0	12	167	4	4	0	4	0	
12	38	2	2	0	2	0	14	99	1	1	0	1	0	
12	72	1	1	0	1	0	14	157	1	1	0	1	0	
12	99	3	3	0	3	0								
			total 35		35				0		35		0	

Immunoassay Tricycl. antidepressants

Meth.	Manuf.	N	sample A +		sample B -		Meth.	Manuf.	N	sample A +		sample B -		
			n-	n+	n-	n+				n-	n+	n-	n+	
11	2	42	1	41	42	0	12	30	2	0	2	0		
11	4	3	0	3	3	0	12	38	3	0	3	0		
11	19	20	3	17	20	0	12	43	1	1	0	0		
11	34	3	0	3	3	0	12	70	1	0	1	0		
11	40	6	0	6	6	0	12	72	1	0	1	0		
11	70	1	0	1	1	0	12	99	3	0	3	0		
11	78	69	3	66	69	0	12	121	4	2	2	0		
11	99	34	3	31	34	0	12	126	16	0	16	0		
11	102	16	1	15	16	0	12	128	1	0	1	0		
11	109	16	1	15	16	0	12	129	1	1	0	0		
11	121	7	3	4	7	0	12	130	2	0	2	0		
11	122	5	0	5	5	0	12	151	4	0	4	0		
11	125	25	1	24	25	0	12	166	2	0	2	0		
11	130	30	2	28	30	0	12	228	1	0	1	0		
11	151	131	15	116	131	0	14	19	1	1	0	0		
11	161	6	1	5	6	0	14	28	1	0	1	0		
11	170	3	0	3	3	0	14	38	1	0	1	0		
11	173	66	9	57	66	0	14	99	4	0	4	0		
11	230	5	1	4	5	0	14	162	1	0	1	0		
12	4	3	0	3	3	0	98	98	1	1	0	0		
12	28	1	0	1	1	0								
			total 543		50				493		543		0	

Immunoassay Buprenorphine

sample A -					sample B -					sample A -					sample B -					
Meth.	Manuf.	N	n-	n+	n-	n+	Meth.	Manuf.	N	n-	n+	n-	n+	Meth.	Manuf.	N	n-	n+	n-	n+
11	2	1	1	0	1	0	12	38	7	7	0	7	0	12	38	7	7	0	7	0
11	34	1	1	0	1	0	12	40	6	6	0	6	0	12	40	6	6	0	6	0
11	52	1	1	0	1	0	12	43	1	1	0	1	0	12	43	1	1	0	1	0
11	78	18	18	0	18	0	12	48	1	1	0	1	0	12	48	1	1	0	1	0
11	99	4	4	0	4	0	12	72	1	1	0	1	0	12	72	1	1	0	1	0
11	102	6	6	0	6	0	12	99	3	3	0	3	0	12	99	3	3	0	3	0
11	109	10	10	0	10	0	12	126	35	35	0	35	0	12	126	35	35	0	35	0
11	122	4	4	0	4	0	12	128	1	1	0	1	0	12	128	1	1	0	1	0
11	125	2	2	0	2	0	12	129	1	1	0	1	0	12	129	1	1	0	1	0
11	129	1	1	0	1	0	12	151	1	1	0	1	0	12	151	1	1	0	1	0
11	130	2	2	0	2	0	12	158	14	14	0	14	0	12	158	14	14	0	14	0
11	151	89	86	3	86	3	12	228	1	1	0	1	0	12	228	1	1	0	1	0
11	161	6	6	0	6	0	12	328	2	2	0	2	0	12	328	2	2	0	2	0
11	170	4	4	0	4	0	14	38	1	1	0	1	0	14	38	1	1	0	1	0
11	173	39	39	0	39	0	14	99	3	3	0	3	0	14	99	3	3	0	3	0
12	4	2	2	0	2	0	total 277					274	3	274	3					
12	30	9	9	0	9	0														

Immunoassay Fentanyl

sample A -					sample B -					sample A -					sample B -					
Meth.	Manuf.	N	n-	n+	n-	n+	Meth.	Manuf.	N	n-	n+	n-	n+	Meth.	Manuf.	N	n-	n+	n-	n+
11	78	1	0	1	1	0	12	4	1	1	0	1	0	12	4	1	1	0	1	0
11	99	1	1	0	1	0	12	38	1	1	0	1	0	12	38	1	1	0	1	0
11	102	1	1	0	1	0	12	48	1	1	0	1	0	12	48	1	1	0	1	0
11	122	1	1	0	1	0	12	99	2	2	0	2	0	12	99	2	2	0	2	0
11	125	2	2	0	2	0	12	126	7	7	0	7	0	12	126	7	7	0	7	0
11	151	11	11	0	11	0	12	157	1	1	0	1	0	12	157	1	1	0	1	0
11	161	3	3	0	3	0	12	158	3	3	0	3	0	12	158	3	3	0	3	0
11	170	1	1	0	1	0	14	99	3	3	0	3	0	14	99	3	3	0	3	0
11	173	2	2	0	2	0	total 42					41	1	42	0					

Immunoassay Tramadol

sample A -					sample B +					sample A -					sample B +					
Meth.	Manuf.	N	n-	n+	n-	n+	Meth.	Manuf.	N	n-	n+	n-	n+	Meth.	Manuf.	N	n-	n+	n-	n+
11	78	1	1	0	0	1	11	173	11	10	1	1	9	12	4	1	1	0	0	1
11	99	1	1	0	0	1	12	99	2	2	0	0	2	12	99	2	2	0	0	2
11	102	2	2	0	0	2	12	126	3	3	0	0	3	12	126	3	3	0	0	3
11	122	1	1	0	0	1	12	158	3	3	0	0	3	12	158	3	3	0	0	3
11	125	3	3	0	0	3	14	99	4	4	0	0	4	14	99	4	4	0	0	4
11	151	12	12	0	1	11	total 49					48	1	2	46					
11	161	4	4	0	0	4														
11	170	1	1	0	0	1														

Immunoassay Metamphetamin

Meth.	Manuf.	N	sample A *		sample B -		n+	Meth.	Manuf.	N	sample A *		sample B -		n+
			n-	n+	n-	n+					n-	n+			
11	2	43	6	37	43	0	12	38	1	0	1	1	0		
11	4	3	0	3	3	0	12	43	2	1	1	2	0		
11	19	21	12	9	21	0	12	70	1	1	0	1	0		
11	34	2	2	0	2	0	12	99	3	3	0	3	0		
11	40	6	0	6	6	0	12	121	4	1	3	4	0		
11	52	1	0	1	1	0	12	126	2	1	1	2	0		
11	78	72	22	50	72	0	12	129	1	1	0	1	0		
11	99	37	13	24	37	0	12	130	2	1	1	2	0		
11	102	17	8	9	17	0	12	151	5	2	3	5	0		
11	109	22	5	17	22	0	12	158	9	1	8	9	0		
11	121	5	3	2	5	0	12	166	2	1	1	2	0		
11	122	5	1	4	5	0	12	328	1	1	0	1	0		
11	125	24	4	20	24	0	14	19	1	0	1	1	0		
11	129	1	0	1	1	0	14	28	1	0	1	1	0		
11	130	26	7	19	26	0	14	99	8	3	5	8	0		
11	151	137	47	90	137	0	98	98	1	1	0	1	0		
11	161	8	3	5	8	0	111	151	1	0	1	1	0		
11	170	3	0	3	3	0	111	173	1	0	1	1	0		
11	173	72	21	51	72	0									
11	230	5	2	3	5	0									
			total 556		174		382			556		0			

Immunoassay Oxycodon

Meth.	Manuf.	N	sample A -		sample B -		n+	Meth.	Manuf.	N	sample A -		sample B -		n+
			n-	n+	n-	n+					n-	n+			
11	2	27	27	0	27	0	11	173	7	7	0	6	1		
11	52	1	1	0	0	1	12	4	1	1	0	1	0		
11	78	1	1	0	1	0	12	30	1	1	0	1	0		
11	99	1	1	0	1	0	12	99	1	1	0	1	0		
11	102	1	1	0	1	0	12	123	1	1	0	1	0		
11	125	2	2	0	2	0	12	126	3	3	0	3	0		
11	130	1	1	0	1	0	12	158	2	2	0	2	0		
11	151	9	9	0	9	0	14	99	4	4	0	4	0		
11	161	1	1	0	1	0									
11	170	1	1	0	1	0									
			total 65		65		0			63		2			