

CERTIFIKÁT

Cyklus EHK: AKS4/21 - Analyty krevního séra

Stop termín (uzávěrka cyklu EHK): 09.10.2021

Odborná garance: Česká společnost klinické biochemie ČLS JEP

Účastník: Nemocnice Pardubického kraje, a.s., Orlickoústecká nemocnice, Oddělení klinické biochemie a diagnostiky
Čs. armády 1076, 562 18 Ústí nad Orlicí, Česká republika
RNDr. Karel Kohoutek

Osvědčujeme, že výše uvedený účastník se úspěšně zúčastnil cyklu externího hodnocení kvality pro následující zkoušky:


Certifikace srovnatelnosti výsledků

(srovnatelnost se pro tuto zkoušku nehodnotí)
(srovnatelnost se pro tuto zkoušku nehodnotí)
Chloridový anion
(srovnatelnost se pro tuto zkoušku nehodnotí)
Fosfáty anorganické
Železo celkové
(srovnatelnost se pro tuto zkoušku nehodnotí)
(srovnatelnost se pro tuto zkoušku nehodnotí)
(srovnatelnost se pro tuto zkoušku nehodnotí)
Albumin
Osmolalita
Laktát
(srovnatelnost se pro tuto zkoušku nehodnotí)
(srovnatelnost se pro tuto zkoušku nehodnotí)
(srovnatelnost se pro tuto zkoušku nehodnotí)
(srovnatelnost se pro tuto zkoušku nehodnotí)
(srovnatelnost se pro tuto zkoušku nehodnotí)
(srovnatelnost se pro tuto zkoušku nehodnotí)
(srovnatelnost se pro tuto zkoušku nehodnotí)
(srovnatelnost se pro tuto zkoušku nehodnotí)
(srovnatelnost se pro tuto zkoušku nehodnotí)
(srovnatelnost se pro tuto zkoušku nehodnotí)
(srovnatelnost se pro tuto zkoušku nehodnotí)
(srovnatelnost se pro tuto zkoušku nehodnotí)
gama-globulin (elfo)
alfa-amyláza pankreatická

Certifikace návaznosti na vztažnou hodnotu referenčního materiálu

Sodný kation
Draselný kation
(návaznost se pro tuto zkoušku nehodnotí)
Vápník celkový
(návaznost se pro tuto zkoušku nehodnotí)
(návaznost se pro tuto zkoušku nehodnotí)
Hořčík celkový
Lithium
Celková bílkovina
(návaznost se pro tuto zkoušku nehodnotí)
(návaznost se pro tuto zkoušku nehodnotí)
(návaznost se pro tuto zkoušku nehodnotí)
Bilirubin celkový
Cholesterol
Glukóza
Kyselina močová
Močovina
Kreatinin
Triacylglyceroly
alfa-amyláza
AST
ALT
CK
GGT
LD
(návaznost se pro tuto zkoušku nehodnotí)
(návaznost se pro tuto zkoušku nehodnotí)

Tento certifikát platí do 10.10.2022.



Ing. Marek Budina
ředitel společnosti SEKK



prof. MUDr. Jaroslav Racek, DrSc.
předseda ČSKB

CERTIFICATE OF APPROVAL

EQA round: AKS4/21 - Basic Clinical Chemistry - Serum

Deadline (EQA round closed): 09.10.2021

Professional supervision: Czech Society of Clinical Biochemistry

Participant: Nemocnice Pardubického kraje, a.s., Orlickoústecká nemocnice, Oddělení klinické biochemie a diagnostiky
Čs. armády 1076, 562 18 Ústí nad Orlicí, Czech Republic
RNDr. Karel Kohoutek

This is to confirm that the above mentioned participant participated successfully in this EQA round for the following tests:

Certification of comparability of the results

(comparability is not evaluated for this test)
(comparability is not evaluated for this test)
Chloride
(comparability is not evaluated for this test)
Inorganic phosphate
Iron
(comparability is not evaluated for this test)
(comparability is not evaluated for this test)
(comparability is not evaluated for this test)
Albumin
Osmolality
Lactate
(comparability is not evaluated for this test)
(comparability is not evaluated for this test)
(comparability is not evaluated for this test)
(comparability is not evaluated for this test)
(comparability is not evaluated for this test)
(comparability is not evaluated for this test)
(comparability is not evaluated for this test)
(comparability is not evaluated for this test)
(comparability is not evaluated for this test)
(comparability is not evaluated for this test)
(comparability is not evaluated for this test)
(comparability is not evaluated for this test)
(comparability is not evaluated for this test)
gamma-globuline (elpho)
alpha-amylase pancreatic

Certification of traceability to the reference value

Sodium
Potassium
(traceability is not evaluated for this test)
Calcium
(traceability is not evaluated for this test)
(traceability is not evaluated for this test)
Magnesium
Lithium
Total protein
(traceability is not evaluated for this test)
(traceability is not evaluated for this test)
(traceability is not evaluated for this test)
Bilirubin total
Cholesterol
Glucose
Uric acid
Urea
Creatinine
Triacylglycerols
alpha-amylase
AST
ALT
CK
gamma-GT
LD
(traceability is not evaluated for this test)
(traceability is not evaluated for this test)

This certificate expires on 10.10.2022.



Marek Budina, MSc
director of SEKK



Prof. Jaroslav Racek, MD, DSc
Czech Society of Clinical
Biochemistry, President